



SOVEREIGN

TIMBER GARDEN BUILDINGS

BUILT TO INSPIRE
MADE TO LAST



PREMIUM
QUALITY
TIMBER



SUSTAINABLY
SOURCED



BUILT BY
EXPERTS



MADE TO
LAST



BEAUTIFUL FUNCTIONAL TIMELESS



GARDEN BUILDINGS DESIGNED FOR
EVERY SPACE AND EVERY SEASON



SOVEREIGN

CONTENTS

SHEDS (pages 1-6)

<u>PAGE</u>	<u>NAME</u>	<u>DESCRIPTION</u>
2	RUTLAND	Apex
3	NOTTINGHAM	Pent
4	SURREY	Premium Apex
5	CUMBRIA	Robust Apex
6	CORNWALL	Corner Shed

SOMERSET POTTERS (pages 17-21)

<u>PAGE</u>	<u>NAME</u>	<u>DESCRIPTION</u>
18	BATH	Mini Potter
19	FROME	Maxi Potter
20	GLASTONBURY	Glass Roof Potter
21	AXBRIDGE	Apex Potter

STANDS (page 7)

<u>PAGE</u>	<u>NAME</u>	<u>DESCRIPTION</u>
7	OXFORD	Bandstand

PREMIUM SUMMERHOUSE (pages 22-30)

<u>PAGE</u>	<u>NAME</u>	<u>DESCRIPTION</u>
24	LONDON	Contemporary Apex
25	GLASGOW	Contemporary Apex inc Veranda
26	NEWPORT	Hipped Contemporary
27	BRIGHTON	Contemporary Alfresco
28	BRISTOL	Apent
29	EDINBURGH	Georgian Hipped
30	CAMBRIDGE	Contemporary UPVC

SUMMERHOUSES (pages 8-16)

<u>PAGE</u>	<u>NAME</u>	<u>DESCRIPTION</u>
10	NORFOLK	Barn
11	ESSEX	Contemporary
12	SUSSEX	Combination Pent
13	KENT	Combination Apex
14	DEVON	Contemporary Corner
15	HAMPSHIRE	Contemporary Octagonal
16	HERTFORDSHIRE	Georgian Octagonal

EXTRAS (pages 31-33)

<u>PAGE</u>	<u>NAME</u>	<u>DESCRIPTION</u>
31	EXTRAS	Optional Upgrades
32	PROFILES	Technical Drawings
33	NOTES	Space for notes and sketches

With over 20 years of craftsmanship behind us, we are proud to introduce our latest range of **premium garden buildings**—designed to deliver excellence from start to finish. As a trusted shed manufacturer, we combine **experience**, **quality** materials, and meticulous attention to detail to create structures that stand the test of time. **Sovereign** showcases the very best in **outdoor living**, featuring expertly built sheds, premium summerhouses, elegant summerhouses, and beautifully crafted potting sheds. Every building in this range is designed with both **style** and **durability** in mind, offering a refined finish that transforms any garden into a functional and sophisticated space.

SOVEREIGN SHEDS



RUTLAND



NOTTINGHAM



SURREY



CUMBRIA



CORNWALL





RUTLAND

A **timeless** garden apex shed. Designed for everyday **practicality** while adding a refined, **premium** touch to your outdoor space.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours




Structural Improvements

Shelving
Benches



Joinery

Double doors
Stable door



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 610mm x 457mm
Door:	Rebated, fully-framed joinery door 762mm x 1880mm
External fixings:	12mm x 120mm fascias, window cill & door drop
Treatment:	Water based brown treatment
Eaves height:	1864mm
Ridge height:	2190mm (4ft gable), 2260mm (5ft gable), 2336mm (6ft gable), 2475mm (8ft gable), 2580mm (10ft gable)



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 610mm x 457mm
Door:	Rebated, fully-framed joinery door 762mm x 1880mm
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1937mm
Ridge height:	2153mm



Storage in it's most simplistic, yet **premium**, form..

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Double doors
Stable door



NOTTINGHAM





SURREY

Your perfect **statement garden shed**.
Utilising **storage** space whilst aesthetically
complimenting your garden.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Double doors



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	44mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof opening windows, glass; 552mm x 400mm
Door:	Rebated joinery door 762mm x 1790mm, glass; 610mm x 457mm
Internal fixings:	Bench staging
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1708mm
Ridge height:	2356mm (6ft gable) 2450mm (8ft gable)



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	44mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows (1 opening), glass; 552mm x 400mm
Door:	Rebated joinery door 914mm x 1880mm
Internal fixings:	Bench staging, roof truss
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1995mm
Ridge height:	2475mm (6ft gable), 2590mm (8ft gable), 2695mm (10ft gable), 2755mm (12ft gable)



A **traditional** apex shed, crafted with **premium quality**, bringing together **practical** storage and effortless garden **style**.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches
Roof overhang



Joinery

Double doors
Stable door



CUMBRIA





CORNWALL

The perfect **corner solution**—practical storage with a **refined, premium** touch that complements any garden layout.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Full length door
Stable door with no windows



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows (2 opening) , glass; 552mm x 400mm, if 8ft 552mm x 400mm & 610mm x 457mm
Door:	Rebated, fully-framed stable door, with window, 914mm x 1880mm
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1942mm
Ridge height:	2146mm



BANDSTANDS



STANDARD FEATURES

Floor & roof:	18mm tongue & groove matching
Framing:	44mm x 44mm round corner framing
Felt:	Polyester roofing felt
Treatment:	Water based brown treatment
Eaves height:	2160mm
Ridge height:	3416mm



A beautifully crafted wooden bandstand, designed to transform your garden into a refined outdoor retreat. With its timeless structure and premium finish, it creates the perfect space to relax, entertain, and truly elevate your surroundings.



PREMIUM UPGRADES



Superior Cladding
Pressure treated cladding



Durability & Aesthetics
Heavy duty
EPDM
Felt tiles



Painting & Treatment
OSMO top-coat
Painting up to 2 colours



Structural Improvements
Full panel walls
Half panel walls



OXFORD



SUMMER



SUSSEX



NORFOLK



HERTFORDSHIRE



ESSEX



HOUSES



FOLK



KENT



DEVON



HAMPSHIRE





NORFOLK

A beautifully crafted timber **barn**, designed to bring both **presence** and **purpose** to your outdoor space. With its **classic** form and premium finish, it creates a **striking** feature while offering **versatile** storage that elevates your garden.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches
Roof overhang



Joinery

Double glazed draft proof framed doors & windows



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm, opening 1445mm x 440mm & 1040mm x 442mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm
External fixings:	12mm x 120mm fascias, window cill & door drip, 1ft overhang
Treatment:	Water based brown treatment
Eaves height:	1950mm
Ridge height:	2790mm (8ft gable), 3165mm (10ft gable)



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm, opening 1445mm x 440mm & 1040mm x 442mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1937mm
Ridge height:	2153mm



A **contemporary summerhouse** designed to redefine your garden. With **modern styling**, and a premium finish, it creates a **sophisticated** space to relax, work, or entertain—bringing indoor comfort into your outdoor setting.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours




Structural Improvements

Shelving
Benches
Roof overhang



Joinery

Double glazed draft proof doors & windows



ESSEX





SUSSEX

Maximise your garden's potential with a **premium** pent combination shed. Built for **durability** and designed for flexibility, it delivers organised **storage** and a contemporary **space** to suit your lifestyle.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours





Structural Improvements

Shelving
Benches
Roof overhang



Joinery

Double glazed draft proof framed doors & windows



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm, opening 1445mm x 440mm & 1040mm x 442mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm Storage door 1780mm x 755mm
External fixings:	12mm x 120mm fascias, window cill & door drip, 400mm overhang
Treatment:	Water based brown treatment
Eaves height:	1950mm
Ridge height:	2170mm



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm, opening 1445mm x 440mm & 1040mm x 442mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm Storage door 1880mm x 762mm
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1864mm
Ridge height:	2336mm (6ft gable), 2475mm (8ft gable), 2580mm (10ft gable), 2700mm (12ft gable)



A versatile apex **combination** shed, designed to bring together **smart** storage and **comfortable** living.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Double glazed draft proof doors & windows



KENT





(upgraded joinery on images)

DEVON

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shi lap
18mm shi lap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours





Structural Improvements

Shelving
Benches



Joinery

Double glazed draft proof framed doors & windows



STANDARD FEATURES

Cladding:	12mm tongue & groove shi lap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm, opening 1200mm x 743mm & 200mm x 743mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1937mm
Ridge height:	2153mm



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, gleass; 1574mm x 442mm, opening 1445mm x 440mm & 1040mm x 442mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm Single door for 6ft model
External fixings:	12x120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	2150mm
Ridge height:	2735mm



Your garden, redefined. This **contemporary octagonal** building has a unique structure, creating a bright, **versatile** space that enhances both the look and **functionality** of your outdoor area.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours




Structural Improvements

Shelving
Benches



Joinery

Double glazed draft proof doors & windows



HAMPSHIRE



(upgraded joinery on images)



HERTFORDSHIRE

Introduce a statement of **heritage** and style with a **premium Georgian octagonal** building. Its distinctive design, open space that blends **traditional** charm with modern outdoor living.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours




Structural Improvements

Shelving
Benches



Joinery

Double glazed draft proof framed doors & windows



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 610mm x 513mm
Door:	Rebated joinery door 1780mm x 1090mm, glass; 402mm x 513mm
	Single door for 6ft models
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	2150mm
Ridge height:	2735mm





SOMERSET POTTERS



BATH



FROME



AXBRIDGE



GLASTONBURY



BATH

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours




Structural Improvements

Shelving
Benches



Joinery

Full length door
Stable door without window



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass - front; (3) 905mm x 540mm (6ft), (4) 905mm x 475mm (7ft), (2) 905mm x 545mm & (2) 905mm x 555mm (8ft), (5) 905mm x 555mm, opening; (2) 440mm x 445mm (2) 387mm x 344mm
Door:	Fully framed stable door 1765x762mm
Internal fixings:	Full length bench under window
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1860mm
Ridge height:	2057mm



STANDARD FEATURE

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; (1) 1220mm x 610mm (2) 1220mm x 457mm (2) 906mm x 590mm (1 opening) 387mm x 344mm (6ft) (4) 1220mm x 457mm (1 opening) 387mm x 344mm (2) 906mm x 590mm (7ft) (2) 1220mm x 610mm (2) 1220mm x 457mm (2) 906mm x 590mm (1 opening) 387mm x 344mm (8ft) (3) 1220mm x 610mm (2) 1220mm x 457mm (2) 906mm x 590mm (1 opening) (10ft) (4) 1220mm x 610mm (2) 1220mm x 457mm (2) 906mm x 590mm (1 opening) 387mm x 344mm (12ft)
Door:	Fully framed door 1880x762mm
Internal fixings:	Full length bench under window
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	2037mm
Ridge height:	2253mm



PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery


Stable door without or without window

Upgrade your outdoor space with a **premium** potting shed, designed with **large** full-height **windows** to maximise light and usability. A **practical** workspace with a sleek, **high-end** finish.



FROME





GLASTONBURY

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Full length door
Stable door with window

A **statement** in both design and detail. This **premium glass-roof** potter combines structural **complexity** with refined aesthetics, allowing light to pour in and transform your garden into a **sophisticated**, light-filled retreat.



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32x44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; front- (1) 1220mm x 610mm (2) 1220mm x 457mm (2) 906mm x 590mm (6ft) (4) 1220mm x 457mm (2) 906mm x 590mm (7ft), (2) 1220mm x 610mm (2) 1220mm x 457mm (2) 906mm x 590mm (8ft) (3) 1220mm x 610mm (2) 1220mm x 457mm (2) 906mm x 590mm (10ft) (3) 1220mm x 610mm (2) 1220mm x 457mm (2) 906mm x 590mm (12ft)
Door:	sides - 590mm x 905mm triangle
Internal fixings	Fully framed stable door 1765mm x 762mm
External fixings:	Full length bench under window
Treatment:	12mm x 120mm fascias, window cill & door drip
Eaves height:	Water based brown treatment
Ridge height:	1854mm
	2058mm



STANDARD FEATURES

Cladding:	12mm tongue & groove shi lap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; front - (3) 1650mm x 905mm (6ft) (+1 per 2ft increase on size) gable (opening) - (2) 445mm x 440mm (2) 387mm x 344mm
Door:	Fully framed door 1880mm x 762mm, fully framed storage door 1815mm x 762mm
Internal fixings:	Full length bench under both windows
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	1864mm
Ridge height:	2190mm (6ft) 2475mm (8ft) 2580mm (10ft)



A beautifully crafted **apex** roof potting shed, designed with **double-sided windows** to fill the space with natural light.

Complete with a **separate storage** partition, it offers a perfect balance of **practicality** and **premium** garden style.



PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shi lap
18mm shi lap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours




Structural Improvements

Shelving
Benches



Joinery

Stable door without or without window



AXBRIDGE



PREMIUM
SUMMER



EDINBURGH



BRIGHTON



NEWPORT



LONDON

REIGN MIUM RHOUSES



BRISTOL

ITON



CAMBRIDGE



GLASGOW



LONDON

Upgrade your outdoor space with a **premium** shed designed around large windows for maximum natural light. A practical solution with a **stylish, high-end** finish.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours




Structural Improvements

Shelving
Benches
Roof overhang



Joinery

Double glazed draft proof framed doors & windows



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; (2 fixed) 1574mm x 745mm (2 opening) 1200mm x 743mm & 200mm x 743mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm
External fixings:	12mm x 120mm fascias, window cill & door drip, 1ft overhang
Treatment:	Water based brown treatment
Eaves height:	1933mm
Ridge height:	2490mm (8ft gable), 2640mm (10ft gable), 2725mm (12ft gable)



STANDARD FEATURE

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm (fixed) 1180mm x 442mm & 445mm x 440mm (opening)
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm
External fixings:	12mm x 120mm fascias, window cill & door drip, 2ft veranda & roof overhang
Treatment:	Water based brown treatment
Eaves height:	1933mm
Ridge height:	2490mm (8ft gable), 2640mm (10ft gable), 2725mm (12ft gable)



A standout garden feature, this premium shed combines **expansive glazing**, a defined roof **overhang**, and a welcoming **veranda**. Crafted from high-quality materials, it creates a **bright, elegant** space to relax, entertain, and enjoy your garden in **style**.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Double glazes draft proof frame doors & windows



GLASGOW



(upgraded joinery on images)



NEWPORT

A striking hipped-roof design that adds **elegance** and structure to your garden. Crafted from **premium** materials, this **summerhouse** creates a bright, spacious **retreat** with a truly **high-end** feel.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours




Structural Improvements

Shelving
Benches
Roof overhang



Joinery

Double glazed draft proof framed doors & windows



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	2165mm
Ridge height:	2775(8ft gable), 2950mm (10ft gable)



STANDARD FEATURES

Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm (fixed) 1180mm x 442mm & 445mm x 440mm (opening)
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm
External fixings:	12mm x 120mm fascias, window cill & door drip, 1ft overhang
Treatment:	Water based brown treatment
Eaves height:	1950mm
Ridge height:	2170mm



Redefine your garden with a **premium** combination garden room and **alfresco** dining space. Thoughtfully designed to flow **effortlessly** between inside and out, it's ideal for hosting, **unwinding**, and making the most of your outdoor space.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Double glazes draft proof frame doors & windows



BRIGHTON



(upgraded joinery on images)





(upgraded joinery on images)

BRISTOL

Your garden, elevated. This **apent** garden room combines **sharp** lines with **vertical cladding** to create a **bold**, architectural feel—offering a versatile space finished to a **premium** standard.

PREMIUM UPGRADES



Superior Cladding

12mm pressure treated matching
18mm matching
18mm pressure treated matching



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Double glazed draft proof framed doors & windows



STANDARD FEATURES

Cladding:	12mm tongue & groove matching
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 1574mm x 442mm
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	2095mm
Ridge height:	2660mm (8ft gable), 2730mm (10ft gable), 2820mm (12ft gable)



STANDARD FEATURES



Cladding:	12mm tongue & groove shiplap
Floor & roof:	12mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	3mm toughened glass
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	Storm-proof windows, glass; 1574mm x 442mm (fixed) 1180mm x 442mm & 445mm x 440mm
Door:	Rebated joinery door 1780mm x 1170mm, glass; 400mm x 300mm
External fixings:	12mm x 120mm fascias, window cill & door drip
Treatment:	Water based brown treatment
Eaves height:	2220mm
Ridge height:	3475mm

Make the most of your outdoor space with a premium **Georgian** corner **summerhouse**. Designed with a hipped roof for a **timeless** look and available with an optional **storage** section, it delivers both **beauty** and **practicality**.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches



Joinery

Double glazed draft proof frame doors & windows



EDINBURGH





CAMBRIDGE

A sleek pent design paired with premium **UPVC** joinery, offering both performance and **contemporary** appeal. Crafted with attention to detail, this garden room creates a **bright, comfortable** space you can enjoy all year round.

PREMIUM UPGRADES



Superior Cladding

15mm loglap
15mm pressure treated shiplap
18mm shiplap



Stronger Framing

44mm x 44mm
44mm x 69mm



Durability & Aesthetics

Heavy duty
EPDM
Felt tiles



Painting & Treatment

OSMO top-coat
Painting up to 2 colours



Structural Improvements

Shelving
Benches
Roof overhang



Joinery

Opening windows



STANDARD FEATURES

Cladding:	18mm tongue & groove shiplap
Floor & roof:	18mm tongue & groove matching
Framing:	32mm x 44mm round corner framing
Glass:	Double Glazed units
Ironmongery:	Chrome; butt hinges, 3-lever lock and handle
Felt:	Polyester roofing felt
Windows:	UPVC double glazed units 610mm x 2000mm
Door:	UPVC french double doors, double glazed 1600mm x 2000mm
External fixings:	12mm x 120mm fascias, 1ft overhang
Treatment:	Water based brown treatment
Eaves height:	2240mm
Ridge height:	2500mm



SOVEREIGN EXTRAS

BENCHES & STAGING



WORKMAN



SINGLE TIER



DOUBLE TIERED



TRIPLE TIERED

JOINERY



GEORGIAN WINDOWS



GEORGIAN DOORS



CONTEMPORARY
DOUBLE GLAZED
DOORS IN FRAME



SINGLE
FULL-LENGTH
DOOR



STABLE
DOOR




STABLE
DOOR
WITH
WINDOW



HALF
BOARDED
GEORGIAN
DOOR



FULLY
BOARDED
DOOR



STANDARD
CONTEMPORARY
DOORS

FELT



HEAVY
DUTY



EPDM



GREEN
TILES



BLACK
TILES



RED
TILES




GREY
TILES




SOVEREIGN CLADDING PROFILES

TECHNICAL PROFILE DETAILS




FLOORBOARD PROFILES

TECHNICAL PROFILE DETAILS



FRAMING PROFILES

TECHNICAL PROFILE DETAILS





SOVEREIGN

TIMBER GARDEN BUILDINGS

BUILT TO INSPIRE MADE TO LAST



www.sovereigngardenbuildings.co.uk



Timber Garden Buildings Limited
Chesterton House, Chesterton Road
Eastwood Trading Estate
South Yorkshire, S65 1SU



APPROVED AGENT LOGO